

1	DAYLIGHT LIGHTING	559	.Illuminating or display
2	.Including selected wavelength modifier (e.g., filter)		apparatus (e.g., sign, runway light, channel marker)
3	PHOTOGRAPHIC LIGHTING	560	..With reflective surface (e.g., mirror)
4	.Light responsive	561	..Including liquid crystal display (i.e., LCD)
5	.Measuring or indicating	562	.With gas or liquid container
6	.Heat responsive or control	563	.Horticultural
7	.Convertible	564	..Tree
8	.Combined	570	.With wearing apparel or body support
9	..With battery support means	571	..Jewelry
10	.Safety or interlocks	565	.Ornamental or decorative
11	.Plural light sources or light source supports	566	..With star or cross
12	..Diverse type or size	567	..Tree- or plant-like (e.g., tree simulation)
13	..Lamp substitution or selection		...Christmas tree
14	...Indexing (i.e., dynamic)	568	..Filament lamp simulating candle
15With electrical ignition	569	.Medical (e.g., surgical or dental)
16	.Including specific light modifier	572	..Dental lighting fixture
17	..Plural diverse	573	..Endoscopy
18	..Selective or adjustable	574	..Microscopic diagnosis
19	WITH POLARIZER	575	.With static structure (e.g., building interior, framework of tent, wall, ceiling)
20	AUTOMATIC SUBSTITUTION OF POWER SUPPLY OR LIGHT SOURCE	576	..With portable hand-held implement (e.g., cane, baton, umbrella, club)
21	WITH FILAMENT CONTROL MEANS RESPONSIVE TO FRACTURE OF LIGHT SOURCE ENVELOPE OR ENCLOSURE	577	..Workpiece illuminating screwdriver
22	.Fluid or pressure responsive	578	..Writing utensil (e.g., pen, pencil)
23	ILLUMINATED SCALE OR DIAL	580	.With ventilating or cooling or thermally controlled light guide
24	.Telephone dial	581	.With mounting or holding means (e.g., clamp, disengagable mechanical connector, optical fiber holder)
25	.Radiator water temperature meter	582	.Specific material (e.g., type of light conducting material, material of pipe or rod)
26	.Edge illuminated modifier or light rod/pipe	33	WORK-TABLE LIGHTING SYSTEM
27	..Plural light sources	34	CHEMILUMINESCENT LIGHTING
28	.Illuminated through meter case	35	REVOLVING
29	.Internal light source	36	VEHICLES STEERING SWITCHES LIGHT SOURCES
30	..Indirect illumination	37	VEHICLE STEERING MECHANISM OR ELEMENT MOVES PIVOTED LAMP OR LAMP SUPPORT
31	EDGE LIGHTED PANEL	38	.Through fluid pressure control
551	LIGHT FIBER, ROD, OR PIPE		
552	.With intensity control		
553	.Laser		
554	.With optical fiber bundle		
556	..Including specific fiber structure		
555	.Light Emitting Diode (LED)		
583	.With filter device		
557	.Nonelectric power source		
558	.Diffuser or diffusing of incident light (e.g., optical coupler)		

39	.Pivoted lamps having plural unlike motions controlled additionally by manual movement	464	.Condition responsive (e.g., position)
40	.Manual or steering mechanism control of pivoted lamp	465	..Automatically adjusted headlamp beam
41	.Plural lamps, one only moves in turn direction	466	...Computer controlled
42	.Tire, wheel or brake backing plate movement turns lamp	469	...Weight biased or mechanically actuated
43	.Plural lamps concurrently moved	467	...Electromagnetically, electrodynamically, or electronically actuated
44	..Single connection to steering mechanism or element	468	...Hydraulically or pneumatically actuated
45	...First lamp motion moves second lamp	470	.Aircraft
46Steering post arm or rod motion controls first lamp	471	..Interior (e.g., instrument, cockpit)
47Through link and lever transmission means	472	..Having retractable lamp
48Tie rod motion controls first lamp motion	473	.Bicycle or motorcycle
49	...Steering post, arm rod motion controls lamps	474	..Handlebar
50Through link and lever transmission means	475	..Headlight
51	...Tie rod motion control	476	...Headlight support
52	..Tie rod motion control	477	.Marine
53	.Steering post, arm or rod controlled	478	.Bus or railway rolling stock
54	..Through link and lever motion transmission	479	..Roof or ceiling
55	.Stub shaft, stub shaft arm or attachment element controlled	480	...Ventilation casing or fixture
56	..Through telescopic motion transmission means	481	..Threshold illumination
57	.Tie rod element controlled	482	..Dashboard
58	..With manual disconnect	483	..Seat
59	..Through link and lever motion transmission means	484	..Baggage rack
60	...With pin and slot motion transmission means	485	.Truck, trailer, or wagon
459	SUPPORTED BY VEHICLE STRUCTURE (E.G., ESPECIALLY ADAPTED FOR VEHICLE)	486	.Portable
460	.Including headlamp beam measuring or indicating (e.g., headlamp beam leveling, aiming, inclination detecting)	487	.Automobile
461	..Plumb or level having liquid-type bubble	488	..Interior
462	...Including indicia mark (e.g., calibrated rod)	489	...Dashboard
463	..Including indicia mark (e.g., calibrated rod)	490	...Ceiling
		491	...Gearshift
		492	...Sun visor or vanity mirror
		493	..Roof
		494	..Rear view mirror
		495	..Running board
		496	..Hood, grill, or trunk
		497	..License plate
		498	...Turn signal indicator
		499Including brake or emergency
		500	..Wheel spindle, axle, or hub cap
		501	..Door or door handle
		502	..Radiator
		503	..Windshield or window
		504	...Including adjustable lamp support
		505	..Bumper or bumper guard
		506	..Fender
		507	...Headlight

508	..Adjustable source (e.g., bulb filament)	548	..Including specific light bulb mounting
509	..Light modifier	549	..Specific lamp mounting or retaining
510	..Including selected wavelength modifier	84	LIGHT SOURCE OR LIGHT SOURCE SUPPORT AND LUMINESCENT MATERIAL
511	..Optical waveguide (e.g., fiber optic, edge-lit)	85	WITH CONTROL CONSOLE
512	..Adjustable or positionable	86	SOUND EQUIPMENT ILLUMINATOR
513	...Electric or fluid-pressure actuated	87	..Phonograph
514	...Reflector	88	..Telephone
515	...Having ball and socket mechanism	89	MACHINERY LIGHTING
516	..Reflector structure	90	..Sewing
517	...Plural separate reflectors with complex surfaces	91	..Cleaning
518	...Plural separate sections with complex surfaces	92	WITH HEATER OR REFRIGERATOR
519	...With bulb mounting means	93	..Nonelectric illuminator
520	..Refractor structure	94	..With door-controlled switch
521	...Plural separate refractors	95	WITH SWITCH PLATE OR SOCKET
522	...Plural separate sections with complex surfaces	96	WITH FLUID DISTRIBUTER
523	..Adjustable lamp or lamp support	97	LIGHT TABLE-TYPE ILLUMINATOR
524	..Gear driven	98	WITH PAPER, BOOK OR COPY HOLDER
525	..Plural headlight supports concurrently operated	99	..Notepad
526	..Electromagnetic or fluid-pressure actuated	100	DOOR KNOB OR KEYHOLE ILLUMINATOR
527	..Retractable headlight	101	WITH LIQUID CONTAINER
528	..Having ball and socket mechanism	102	WITH CANE, BATON, UMBRELLA OR CLUB
529	..Manually operable (e.g., remote manual actuation)	103	WITH WEARING APPAREL OR BODY SUPPORT
530	...Plural or diverse motion	104	..Jewelry
531	...Horizontal motion	105	..Head covering or clamp
532	...Vertical motion	106	..Hat
534	..Railway truck actuated	107	...Nonelectric light unit
535	...Cable, chain, or spring actuated	108	..Shoulder suspension or torso encircling (e.g., vest, neck-sling)
536	...Gear actuated	109	WITH IMPLEMENT OR HAND HELD HOLDER THEREFOR
537	...Lever or link actuated	110	..Firearm
538	..Projection-type headlamp	111	..Convertible to light gun
539	..Including mask or screen	112	..Imitation firearm
540	..Visual identification light	113	..Light controlled by trigger
541	..Brake	114	..Switch on handle
542	..Emergency	115	..Barber
543	..Plural light sources	116	..Key holder
544	..With common housing	117	..Iron
545	...Including light emitting diode	118	..Pen or pencil
546	..Housing	119	..Hand tool (e.g., knife, drill)
547	..With cooling or ventilating feature	120	..Elongate type
		121	WITH STAR OR CROSS
		122	WITH PLANT-LIKE ORNAMENT OR WREATH
		123	..Tree
		124	WITH SIMULATED ANIMAL
		125	WITH SHOWCASE OR SHOW WINDOW

126	.Heat insulation or dissipation type	168Plural
127	WITH FURNITURE	169	...Plural lenses
128	.With viewing mirror	170Rotatable type
129	..Adjustable	171	..Tubular type
130	.Bed	172	...Base structure
131	.Chair, stool or sofa	173	...Dome structure
132	.Plural diverse type article holders (e.g., drawer and hook)	174	...Relatively movable modifier
133	.Cabinet	175Compound motion
134	.Base	176Rectilinear motion
135	WITH VIEWING MIRROR	177Pivoted motion
136	.With vanity case	178	...Tube structure
137	..With closure light source control	179	..Mantle type
138	.Inspection type	180	..Chimney type
139	..Adjustable	181	..Base structure
140	.With plural light sources or diverse light modifiers	182	..Dome structure
141	..Adjustable	183	.Rechargeable electrical source of with external connections
142	.Adjustable	184	.Having plural lamp bulbs or lamp sockets
143	..Janus-faced mirror-and-light projector	185	..With a protective cage
144	..Repositionable as a unit	186	.Dome, globe or wire guard or lamp bulb cover
145	WITH STATIC STRUCTURE	187	.With movable focusing element
146	.Staircase	188	..Movable lamp bulb or lamp bulb support
147	.Wall or ceiling	189	.Disposable lamp or flexible material casing
148	..Subceiling	190	.With support
149	...With fluid handling means	191	..With or comprising mounting means
150	...Common subceiling and light unit support	192	.Generator power source
151	.Valence or cornice	193	..Friction driven generator
152	.With border, fence, gate or awning	194	.Battery supported separable lamp assembly
153	.Floor	195	..Battery terminal sole support of lamp
153.1	.Pavement	196	.Mating-halves type flashlight casing
154	WITH CONTAINER	197	.Lamp bulb or lamp support axis adjustable or angularly fixed relative to axis of flashlight casing
155	.With closure controlled switch	198	..Flexibly or extensibly mounted lamp bulb or lamp support
156	.Bag, purse or trunk	199	..Separate lamp housing or lamp support pivoted to flashlight casing
157	SELF POWERED LAMP	200	.Flat flashlight casing
158	.With hermetic seal	201	..Lamp terminal directly contacts a battery terminal
159	.Nonelectric	202	.Cylindrical flashlight casing
160	..Acetylene	203	..Bulb or battery physically moved to join mating contacts of each other
161	..Candle type		
162	...Collapsible housing		
163	...With chimney		
164	..Miner's safety type		
165	...With lock		
166	..Selective wavelength transmitting or light blocking means		
167	...With separate movable selective elements		

204	..Insulated casing with switch between fixed conductors	242	...Diverse modifiers
205	..With switch	243Including reflector
206	...At end opposite bulb	244	...Refractor type modifier
207	.Spare bulb carrier	245With reflector
208	.Flashlight elements	246Diffusing type
209	PLURAL NONELECTRIC LIGHT SOURCES	247	...Reflector type modifier
210	PLURAL CARBON ARC-TYPE LIGHT SOURCES	248	...Shielding type modifier
211	MULTIPLE FILAMENT LIGHT UNIT	249	.With support
212	.With electrical switching means	250	..Adjustable
213	.Relatively movable light source or modifier	251	..With switch
214	.With mask or screen for at least one filament	252	..Particular arrangement (e.g., ornamental star)
215	.With corrugated, faceted or fluted reflector and/or lens	253	COMBINED
216	CURVILINEAR LIGHT SOURCE	254	LIGHT SOURCE SUBSTITUTION
217	ELONGATED SOURCE LIGHT UNIT OR SUPPORT	255	MODIFIER MOUNTABLE ON LIGHT SOURCE ENVELOPE
218	.With ventilating or cooling means	256	.With additional modifier
219	.With means to position plural light sources colinearly	257	LIGHT SOURCE (OR SUPPORT THEREFOR) AND MODIFIER
220	.Repositionable	258	.With extensible electric cord storage member
221	.With means to accommodate additional circuit element	259	.Laser type
222	..With or including transparent or translucent member	260	.Fluorescent type
223	.With or including transparent or translucent member	261	.Carbon arc type
224	..Plural members	262	..With electrode feed means
225	.Plural sources or supports therefor	263	.Ionized gas or vapor light source
226	QUICK DISCONNECT-TYPE LIGHT UNIT	264	..Including cooling means
227	PLURAL LIGHT SOURCES	265	..Including circuit arrangement
228	.Diverse light generators	266	.Nonelectric type
229	..Gas and electric	267	.With sealing means or artificial atmosphere
230	.Particular wavelength	268	.Plural serial lens elements or components
231	..Different wavelengths	269	.Tilttable or rotatable as a unit
232	.Source and modifier mounted for relative movement	270	..With linear repositioning means
233	.Remote adjustment or positioning means	271	..With actuator
234	.Combined	272	...Electric or pneumatic
235	.With modifier	273	...Screw actuator
236	..Distinct light units	274	...Resiliently biased
237	...Substantially identical modifiers	275	..Plural axes
238Positioning means for plural units	276	.Condition responsive
239Relative adjustment means	277	.Adjustable or repositionable modifier
240Units have common housing	278	..Flexible modifier
241Reflector type modifiers	279	..Louvered or grid type modifier movable as a unit
		280	..In plane, or extension of modifying surface
		281	...Plural, relatively movable
		282	..Angularly adjustable or repositionable
		283	...Plural, relatively movable
		284	...With actuator

285	..Adjustable or repositionable light source or light source support	322	..Angularly
286	..Electromagnetic actuator	323	...In plane or modifier surface
287	..Angularly adjustable or repositionable	324	...With actuator
288	..Resiliently biased	325	...Louvered or grid type
289	..Screw actuated	326	.Refractor
290	.Louvered or grid type modifier	327	..With reflector
291	..Including curved modifying surface	328	...Reflector separate from refractor
292	..Including nonparallel modifying surfaces	329	...Enclosure type
293	..Including selected wavelength modifier (e.g., filter)	330	..Panel type
294	..With ventilating, cooling or heat insulating means	331	..Plural serial refractors
295	..With rheostat or switch	332	..Separate sections
296	..Including reflector	333	..With plural elements on both sides of main surface
297	..With or including plural, distinct reflecting surfaces	334	...Curved main surface
298	...Opposed	335	..Curved lens type
299With or including refractor	336	...Including diverse refracting elements on one surface
300With or including translucent or transparent modifier	337Prismatic type
301With or including planar reflecting surface	338	...Plural elements on a curved surface
302With or including coaxial reflecting surfaces	339	..Prismatic type
303With or including means blocking axial rays	340	...Curved main surface
304	...Coaxial	341	.Reflector
305With or including means modifying axial rays	342	..Louvered or grid type
306	..With resilient means to position source or modifier	343	..With diverse modifier
307	..With or including translucent or transparent modifier	344	..With guard means
308	...Refractor	345	..With ventilating or cooling
309With complex surface	346	..Plural separate reflectors or separate sections
310	..Enclosed light source	347	..Curved surface
311	..Including translucent or transparent modifier	348	...Patterned surface
312	LIGHT PERVIOUS CHIMNEYS OR ACCESSORIES THEREFOR	349	...Including straight surface
313	.Attachments	350	...Bowl shaped main surface
314	.Chimney support or holder	351	.Translucent or opaque (e.g., "shade")
315	.Composite	352	..Collapsible or folding
316	.Modified base	353	..Including socket engaging means
317	LIGHT MODIFIER	354	..Louvered or grid type
318	.Fluid medium type	355	..Diffusing type
319	.Adjustable or positionable	356	...Hollow body open at both sides
320	..Flexible	357Including cloth covering
321	..Shutter type	358	..Wire frame type
		359	..External hood or visor
		360	..Plural sections
		361	..Curved surface
		362	HOUSING
		363	.Transparent globe type
		364	.Recessed
		365	..With mounting means
		366	...With adjustment for panel dimensions or slope
		367	.Frame with multiple light- transmitting panels

368	.With mounting means	409	..Nonelectric
369	..Shock absorbing	410	.Standard-type support (e.g., table or floor lamp)
370	..Arm or bracket	411	..With electrical regulating means
371	...Adjustable movement between arm and housing	412	..Vase-type standard
372	.With adjustable light source	413	..Adjustable standard
373	.With cooling means	414	..With light source support mounted at top end of standard
374	.With closure fastener	415	..Nonelectric
375	.With closure	416	.Arc lamp hanger
376	GUARD MEANS	417	.Harp type support
377	.Bulb engaging	418	.Adjustable light support
378	.Socket engaging	419	..Having plural diverse motions
379	SMOKE BELLS	420	...Plural headlight supports concurrently operated
380	SPARK ARRESTERS	421	...With ball and socket light support
381	GAS TAPS	422	...With coaxial motion transmission members
382	SUPPORTS	423	...With plural pairs of gears transmitting motion through internal member
383	.Object sound or sighting controls movable light support	424	...Internal coaxial member having straight line motion
384	.Moving mass control movable light support	425	...Single reciprocating and turning member transmits plural different motions to the adjustable support
385	.Fluid pressure controls movable light support	426	...Fork support
386	.Electromagnetic operator controls movable light support	427	..Pivoted lamp or lamp support
387	.With flexible power-cord storage member	428	...With operating means to move lamp or lamp support
388	.Convertible support	429	..Adjustable socket holder
389	.Antislipping	430	..With mounting means
390	.Shock absorbing	431	.Pole or post type support
391	.Line-wire or cable-attaching support	432	.Wall type arm or bracket support
392	.Imitation candle support	433	.Modifier support
393	..Adjustable	434	..Double-ring frame
394	.Special switch operator	435	...Socket extension
395	..With standard (e.g., table and floor lamps)	436	...Clamping jaws
396	.Clamp or hook	437	..Socket covers
397	.Suction cup	438	...Clamping jaws
398	.Magnetic	439	...With mounting means
399	.Handle or bail	440	..Spring ring
400	..With means for receiving guard	441	..Base
401	.Counterbalanced support	442	...Spider
402	..Spring counterbalance	443	..Removable socket collar
403	.Support having gravity-type light source or light modifier raising and lowering means	444	..Spring frame or bulb
404	.Ceiling-suspended support	445	..Spring frame on body of chimney
405	..Body member with plural radial arms (e.g., chandelier)	446	..Side
406	...With mounting means	447	..On candle
407	..Cord-supported light source with light source directing means	448	..With socket or shell
408	..With light modifier holder	449	..Adjustable

450 ..Collapsible
451 ..Drop
452 ..Interior arms and ring crown
engaged
453 ..Inverted-bowl suspension
devices
454 ...Combined with support
455 ..Lens holder or support
456 ...Perforated plate
457 MISCELLANEOUS ATTACHMENTS AND
FITTINGS
458 MISCELLANEOUS

CROSS-REFERENCE ART COLLECTIONS

800 LIGHT EMITTING DIODE
801 BEDROOM LIGHTING (E.G., MODULAR
COMBINATIONS)
802 POSITION OR CONDITION RESPONSIVE
SWITCH
803 PHOTO SAFE LAMP
804 SURGICAL OR DENTAL SPOTLIGHT
805 HORTICULTURAL
806 ORNAMENTAL OR DECORATIVE
807 .Star
808 .Figure
809 ..Terrestrial globe
810 .Imitation candle
811 .Psychedelic lighting
812 SIGNS

FOREIGN ART COLLECTIONS

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS